



MOVIPREP

AM

| | |
|-------------|----------------------|
| Name: | <input type="text"/> |
| Appt. Date: | <input type="text"/> |
| Location: | <input type="text"/> |

PLEASE ADHERE TO THE FOLLOWING GUIDELINES:

1. Please disregard any other bowel preparation instructions and adhere to the guidelines on this pamphlet.
2. You can have a normal diet up until the time you commence bowel preparation. Once you have commenced bowel preparation, you can only have clear fluids (a list of which can be found on the back of this pamphlet).
3. Please ensure that you inform the practice nurse before your procedure if you are taking **Aspirin, Warfarin or Plavix**.

See inside for preparation instructions

MOVIPREP - Patient Instruction Sheet - AM

DAY BEFORE PROCEDURE:

FIRST SOLUTION PREPARATION **4:00 PM:**

At **4:00pm** prepare your first 1L of MOVIPREP by mixing sachet A&B in 1L of water and then chill.



FIRST DOSE **5:30 PM:**

Consume the entire mixture over the course of approximately **one and a half hours**. This should be followed by the consumption of adequate glasses of water or approved clear liquids (at least one glass per hour) to ensure you remain hydrated.



LAST SOLUTION PREPARATION **8:00 PM:**

At **8:00pm** prepare your second 1L of MOVIPREP by mixing sachet A&B in 1L of water and then chill.



LAST DOSE **5:30 AM:**

Consume the entire mixture over the course of approximately **one and a half hours**. This should be followed by the consumption of adequate glasses of water or approved clear liquids (at least one glass per hour) to ensure you remain hydrated.



APPROVED CLEAR FLUIDS:

- ✔ Water
- ✔ Clear salty fluids (e.g. strained chicken soup)
- ✔ Clear broth
- ✔ Sugar-free jelly (no red or purple colours)
- ✔ Apple juice
- ✔ Black tea or coffee (no milk)
- ✔ Clear sugar-free fruit cordials (no red or purple colours)

IMPORTANT ON THE DAY:

- Drink as much clear liquid as you can before, during and after taking Moviprep bowel preparation.
- The facility where you have booked the procedure will contact you at least one day before the procedure to confirm your admission time.
- You must refrain from eating and drinking four hours prior to your procedure.
- Failure to adhere to this advice may result in delay or cancellation of your procedure.
- Failure to follow the bowel preparation instructions can lead to poor bowel preparation and the possibility that your procedure may need to be repeated.



**NO MILK
PRODUCTS**



**NO RED
COLOURS**



**NO PURPLE
COLOURS**



**APPROVED
LIQUIDS ONLY**